

General Data Section 8 - 16

Why Grooved?	8
Why GRINNELL?	9
Product Features and Benefits	10
Agency Listings and Approvals	11
General Code Groups, Associations, Laboratories, Government Agencies, and Approval Bodies	11
Product Design and Testing	12
ISO 9001:2008 Certified	13
Shurjoint Products	14
How to Build GRINNELL Part Numbers	15
GRINNELL Website	16

Grooved Couplings 17 - 38

Grooved Couplings Table of Contents	18
Figure 740 Rapid Installation Pivot-Bolt (GRIP) Rigid Couplings	20 - 21
Figure 774 Rigid Couplings	22
Figure 705 Flexible Couplings	23
Figure 770 High Pressure Rigid Couplings	24
Figure 707 Heavy Duty Flexible Couplings	25
Figure 707L Large Diameter Couplings	26 - 27
Figure 707N Large Diameter Flexible Couplings	28
Figure 909 Plain End Couplings	29
Figure 780 Grooved Snap Couplings	30
Shurjoint Figure XH-70EP Extra Heavy Rigid Couplings With End Protection (EP) Gasket	31
Figure 716 Flexible Reducing Couplings	32
Figure 702 Mechanical Outlet Couplings	33 - 35
Shurjoint Figure 7706-T Transition Couplings	34 - 35
Electrical Continuity	36
Couplings in Galvanised Finish	37
Coupling Installation Information	37
	38

Flange Adapters 39 - 48

Flange Adapters Table of Contents	40
Figure 71 Flange Adapters (PN10/PN16 BS 4504)	41
Figure 71 Flange Adapters (ANSI)	42 - 43
Flange Adapter Washers	44
Flange Adapter Technical Data	45
Figure 343 & 344 Flange Adapters (PN10/PN16 BS 4504)	46 - 47
Figure 341 Flange Adapters (ANSI)	48

Grooved Fittings 49 - 82

Grooved Fittings Table of Contents	50
Fittings Specifications	51
Figure 210 90° Elbows	52
Figures 210LR & 310LR 90° Long Radius Elbows	53
Figure 201, 301 & 201LR 45° Elbows	54
Figures 212 & 312 - 22½° Elbows	55
Figures 211 & 311 - 11¼° Elbows	56
Long Radius 3D Elbows	57
Long Radius 5D Elbows	58

Long Radius 6D Elbows	59
Figures 219 & 319 Tees	60
Figure 227 Cross	61
Figures 260 & 360 End Caps	62
Figures 361, 362, 363, 364 & 365 End Caps with ISO R7 Threaded Outlets	63 - 64
Figures 221 & 321 Reducing Tees	65 - 68
Figure 322 Reducing Tees (Groove x Groove x Female BSP Thread)	69
Figure 222 Hydrant Tee	69
Figures 250 & 350 Concentric Reducers	70 - 72
Figures 251 & 351 Eccentric Reducers	73 - 75
Figure 314 45° Laterals	76
Figure 325 45° Reducing Laterals	77
Figure 330 Tee Wyes	78 - 79
Figure 331 Reducing Tee Wyes	80
Figures 391, 392 & 393 Adapter Nipples	81
Figure 304 Groove x Male BSP Thread Nipple, Machined	82
Figure 305 Groove x Female BSP Thread Nipple, Machined	82

Outlet Fittings 83 - 90

Outlet Fittings Table of Contents	84
Figure 730 Mechanical Tees – Threaded	85 - 87
Figure 730 Mechanical Tees – Grooved	88 - 90

Valves & Accessories 91 - 138

Valves Table of Contents	92
Figures 39101 & 39107	93
Grooved Butterfly Valve Flow Characteristics	93
Figure 39101HV Butterfly Valve, 10 Position Handle Lever Operated for HVAC Applications	94
Figure 39101 Butterfly Valve, Lever Operated for Potable Water Applications	95
Figure 39101N Butterfly Valves, Lever Operated with Nitrile Disc	96
Figure 39107 Butterfly Valves, Gear Operated for Potable Water Applications	97
Shurjoint Figure SJ-200 Low Profile Butterfly Valve	98
Model B8101 Low Profile Butterfly Valves	99
Figure B333 Large Diameter Butterfly Valve	100 - 101
Model BV835 Ball Valves	102 - 103
Shurjoint Model SJ-500L Ball Valve	104
Shurjoint Model SJ-500W Ball Valve Gear Operated	105
Shurjoint Model SJ-530 Ball Valve (3 Port)	106
Model CV-1 Grooved End Check Valves	107 - 108
Shurjoint Model SJ-915 Dual Disc Check Valves	109 - 110
CB800 Circuit Balancing Valves (CBV) Overview & Specifications	111
Model CB800 (CBV) BSP Threaded Ends	112
Model CB800 (CBV) Grooved Ends	113
Model CB800 (CBV) Flanged Ends, PN16/10	114
Model CB800 (CBV) Flanged Ends, ANSI	115
Model CB800 (CBV) Solder Ends	116
Model CB800 (CBV) Insulation Kits	117
Model CB800 (CBV) MC2 Measuring Computer	117

General notes: Additional information is included in our data sheets and is available upon request. It is the Designer's responsibility to select products suitable for the intended service and to ensure that pressure ratings and performance data is not exceeded. Always read and understand the installation constructions. Never remove any piping components nor correct or modify any piping deficiencies without first depressurizing and draining the system. Material and gasket selection should be verified with the gasket recommendation listing for the specific application.

Figure 70607 Groove Ended Metering Station	118
Figure Venturi, Flow Meter Butt Weld with Grooved Ends.	119
Figure 760 WYE-Strainer.	120
Figure S855 Tee Strainers	121
Figure S810 Suction Diffusers.	122 - 123
Figure 7550 Expansion Joint	124 - 129
Figure RXAG Expansion Joint	130
Figure ALG Expansion Joint	131
Figure ANS Expansion Joint	132
Figure FTU Rubber Bellows ISO R7 Threaded	132
Figure FSF Flanged Rubber Bellows	133
Figure UFBX Flexible Hoses	134 - 135
Figure HERCULES Fix Point	136
Figure FAZ Anchor	137
Figures 407GT & 407T Dielectric Waterways.	138

Stainless Steel Systems 139 - 162

Stainless Steel Systems Table of Contents	140
Coupling Specifications.	141
Fitting Specifications.	141
Figure 472 Stainless Steel Rigid Couplings.	142
Shurjoint Figure SS-7X Stainless Steel Rigid Couplings (Large Diameter)	143
Figure 405 Stainless Steel Flexible Couplings	144
Shurjoint SS-8X Stainless Steel Heavy Duty Flexible Coupling	145
Shurjoint SS-1200 Stainless Steel High Pressure Flexible Couplings	146
Figure 705R Rilsan Coated Flexible Coupling.	147
Shurjoint SS-28 Stainless Steel Hinged Lever Coupling	148
Shurjoint Figure SS-41 Flange Adapters (ANSI).	149
Figure 443 & 444 Flange Adapters (PN16/PN10 BS 4504)	150
Figure 410 90° Stainless Steel Elbows.	151
Figure 401 45° Stainless Steel Elbows.	151
Figure 419 Tees	152
Figure 460 End Caps	153
Figure 421 Reducing Tees	154
Figure 450 Concentric Reducers.	155
Shurjoint Figure SJ-400 Butterfly Valve.	156 - 157
Shurjoint Figure SJ-600L Ball Valve (Lever)	158
Shurjoint Figure SJ-600W Ball Valve (Gear)	159
Shurjoint Figure SJ-630 Three Port Ball Valve	160
Shurjoint Figure SJ-726 Y Strainer.	161
Shurjoint Figure SS-723 Mechanical Tee	162

HDPE Systems 163 - 168

HDPE Systems Table of Contents	164
Shurjoint Figure 9095 HDPE Couplings IPS & ISO Pipe Sizes	165 - 166
Shurjoint Figure 9097 HDPE Transition Couplings IPS & ISO Pipe Sizes	167
Shurjoint Figure 9094 Flange Couplings IPS (ANSI) & ISO (PN10/16) Pipe Sizes	168

Extra Heavy End Protection (EP) Systems 163 - 168

Extra Heavy Systems Table of Contents	170
Extra Heavy Fittings Specifications	170
Shurjoint Figure XH-70EP Extra Heavy Rigid Couplings With End Protection (EP) Gasket	171
Shurjoint Figure 10EP 90° EP Elbows	172
Shurjoint Figure 11EP 45° EP Elbows	172
Shurjoint Figure 20EP EP Tee	173
Shurjoint Figure 35EP EP Cross.	173
Shurjoint Figure 22EP EP Header Tee.	174

Shouldered Systems. 175 - 178

Shouldered Systems	176
Table of Contents & Specifications	176
Shurjoint Figure S35 Shouldered Flexible Coupling	177
Shurjoint Figure SD-28 Shouldered Toggle Coupling	178

G-MINE PVC Systems 179 - 194

G-MINE PVC Systems Table of Contents	180
G-MINE PVC Systems	181
Figure 72900 SDR Pipe (Spline x Spline)	182
Figure 72904 Couplings (Spline x Spline)	183
Figure 72905 Couplings (Spline x Solvent Weld)	183
Figure 72919 Reducing Couplings (Male Spline x Female Spline)	184
Figure 72940 Outlet Couplings (Male Spline x Female Spline x Female Thread)	184
Figure 72930 Outlet Couplings (Spline x Spline x Female Thread).	185
Figure 72906 Nipples (Spline x Plain End).	185
Figure 72907 Nipples (Spline x Groove)	186
Figure 72908 Nipples (Spline x Male Thread)	186
Figure 72909 Nipples (Plain End x Male Thread)	187
Figure 72911 Nipples (Spline x Spline).	187
Figure 72910 90° Elbows (Spline x Spline)	188
Figure 72912 45° Elbows (Spline x Spline)	188
Figure 72913 90° Sweep Elbows (Spline x Spline)	189
Figure 72914 45° Sweep Elbows (Spline x Spline)	189
Figure 72915 Caps & Plugs (Spline)	190
Figure 72916 Flange Adapters (Spline x Flange 150psi)	190
Figure 72917 Tees (Spline x Spline x Spline)	191
Figure 72918 Reducing Tees (Spline x Spline x Spline)	191
Model B8200L G-MINE Butterfly Valves (Spline x Spline)	192
Figure 72999 Splines	193
Figure ITGM Insertion Tools	193
Figure 72899 Replacement Gaskets	194

Plain End Systems 195 - 206

Plain End Systems Table of Contents	196
Coupling Specifications.	197
Fitting Specifications.	197
Figure 909 Plain End Couplings	198
Figure 910 90° Plain End Elbows	199

General notes: Additional information is included in our data sheets and is available upon request. It is the Designer's responsibility to select products suitable for the intended service and to ensure that pressure ratings and performance data is not exceeded. Always read and understand the installation constructions. Never remove any piping components nor correct or modify any piping deficiencies without first depressurizing and draining the system. Material and gasket selection should be verified with the gasket recommendation listing for the specific application.

Figure 901 45° Plain End Elbows	199
Figure 910LR 90° Plain End Long Radius Elbows	200
Figure 901LR 45° Plain End Long Radius Elbows	200
Figure 919 Plain End Tees	201
Figure 927 Plain End Crosses	201
Figure 924 Plain End True Wyes	202
Figure 960 Plain End Caps	202
Figure 921 Plain End Reducing Tees	203
Figure 914 Plain End Laterals	203
Figure 999 Plain End Swaged Nipples	204
Figures 991, 992, 993 Plain End Adapter Nipples	205
Figure 941 Plain End Flange Adapters (ANSI Class 150#)	206
Figure 942 Plain End Flange Adapters (ANSI Class 300#)	206

Ring Joint Systems 207 - 220

Ring Joint Table of Contents	208
Ring Joint Specifications	209
Shurjoint Model R-88 Ring Joint Couplings	210
Shurjoint Model R-88 Ring Joint Couplings	211
Shurjoint Model R-88 Ring Joint Couplings Large Diameter	212
Shurjoint Model RH-1000 1000 PSI Ring Joint Couplings	213
Shurjoint Model RX-3000 3000 PSI Ring Joint Couplings	214
Shurjoint Model RX-3770 3770 PSI Ring Joint Couplings	215
Shurjoint Figure RJ-10 90° Ring Joint Elbows	216
Shurjoint Figure RJ-11 45° Ring Joint Elbows	217
Shurjoint Figure RJ-20 Ring Joint Tee	217
Shurjoint Figure RJ-21 Reducing Tees	218
Shurjoint Figure RJ-50 Concentric Reducer	219
Shurjoint Figure RJ-51 Eccentric Reducer	219
Shurjoint Figure RJ-60 Ring Joint Cap	220
Shurjoint Figure RJ-70 Flange Adapter	220

Preparation Equipment 221 - 232

Preparation Equipment Table of Contents	222
Pipe Preparation Tools	223
Pipe Stands	223
Figure HCTOOL Hole Cutting Tool	224
Hole Cutting Tool Spare Parts	224
Figure PUNCH	225
Centre Punch	225
GRINNELL Groove Measurement Tapes	225
GRINNELL Gauges	226
Roll Groove Standard Specification for Steel & Other IPS Pipe	227 - 228
Cut Groove Standard Specification for Steel & Other IPS Pipe	229 - 230
Standard Roll Groove for Large Diameter IPS Pipe	231
End Protection (EP) Cut-Groove Specification	232

Gaskets. 233 - 246

GRINNELL Gasket Seal	234
GRINNELL Gasket Styles	235
GRINNELL Gasket Grade & Recommendations	236
Tri-Seal Freezer Gasket	236
GRINNELL Gasket Air, Water & Chemical Recommendations	237 - 239
GRINNELL Gasket Lubricants	240
GRINNELL Replacement Gaskets for Figure 740, 705, 774, 707, 770 & 772	241 - 242
GRINNELL Replacement Gaskets for Figure 71, 780, & 909	243
GRINNELL Replacement Gaskets for Figure 716	244
GRINNELL Replacement Gaskets for Figure 730	245

Pressure & Design Data 247 - 274

Design	248
Thermal Movement	249 - 250
Misalignment and Deflection	251
Pipe Support	252
Flexible Joints	252
Rigid Joints	252
Pipe Support	253 - 254
Vertical Piping	255
Pipe Data	256
Working Pressure Ratings Bar (psi) on ISO Size Steel Pipe	257 - 259
Working Pressure Ratings Bar (psi) on Light Wall Roll Grooved Steel Pipe	260 - 261
Maximum Pressure Ratings Bar (psi) on ANSI 304/316 Stainless Steel	262 - 263
Maximum Pressure Ratings Bar (psi) on ISO 304/316 Stainless Steel	264 - 265
Global Pipe Size Designations	266
Flange Drilling Specifications	267
Metric/Imperial Conversion Chart	268
Typical General Specification	268 - 272

Indices 273 - 283

Keyword Index	274 - 277
Part Number Index	278 - 281
Figure Number Index	282 - 283

10-Year Limited Warranty 283

Contact Information Back Cover

General notes: Additional information is included in our data sheets and is available upon request. It is the Designer's responsibility to select products suitable for the intended service and to ensure that pressure ratings and performance data is not exceeded. Always read and understand the installation constructions. Never remove any piping components nor correct or modify any piping deficiencies without first depressurizing and draining the system. Material and gasket selection should be verified with the gasket recommendation listing for the specific application.